


Your local *gas generation* partner



Gas Generators

For Waters Instruments

Waters
THE SCIENCE OF WHAT'S POSSIBLE.™

Discover more at www.peakscientific.com

THE PEAK WAY



PEAK Scientific is a leading innovator in the design, manufacture and support of high-performance gas generators for analytical laboratories. Established in 1997 near Glasgow (Scotland), where our corporate Headquarters and high-tech manufacturing and R&D facilities reside, PEAK Scientific boasts a significant local presence on every continent – including major operations in North America, China and India. With over two decades of experience pioneering reliable gas generator technology, PEAK Scientific develops market-leading nitrogen, hydrogen and zero air systems mainly for the field of LC-MS and GC.

Our strength lies in providing our customers with high-quality, dependable gas generation solutions tailored to meet their specific laboratory demands; what differentiates us is our world-class technical support and on-going service care throughout the generator's lifespan, wherever you are in the world.

MANUFACTURING EXCELLENCE

Our products are the result of our meticulous Research and Development culture, built over more than 20 years at the forefront of the gas generator market. We pride ourselves on the greatest care taken to assess specific application needs before designing and rigorously testing new products. As we have expanded, our R&D capabilities have advanced to the point where we are better equipped than ever to meet changing market demands. By implementing the latest manufacturing technologies and philosophies, PEAK continues to improve product quality, responsiveness and efficiency – resulting in a better value proposition for our customers.

Every PEAK Scientific generator is designed from our ISO 9001:2015 accredited manufacturing center of excellence in the UK and independently tested to ensure compliance with all applicable safety standards.

PEAK AND WATERS

Waters is a global manufacturer and distributor of mass spectrometers and analytical instrumentation headquartered in Milford, Massachusetts. Waters and PEAK Scientific have been working in conjunction since the production of the NM30LA generator in 1997, the predecessor to our best-selling NM32LA generator.

This was the first example of a PEAK Scientific nitrogen generator being formally approved specifically for use with a mass spectrometer, underlining the unique relationship between PEAK and Waters. Since then, PEAK has produced several dedicated gas generator solutions for Waters applications including the Genius NM32LA, Genius XE 35 and Solaris XE.

DEDICATED GAS SOLUTION

Product Managers and Engineers from both organizations are in constant contact throughout the New Product Development process to ensure PEAK's products meet and exceed the specific gas requirements of Waters' range of LC-MS instruments.

In most cases, there is a dedicated PEAK Scientific gas generator for Waters' range of LC-MS instruments. PEAK have engineered purpose built generators, matching the most efficient operating standards of Waters' LC-MS, AP-GC and ELSD instruments.

Waters
THE SCIENCE OF WHAT'S POSSIBLE.™

Our Brand Promise

Our priority is your **complete** **satisfaction**

Our commitment is to provide you with a reliable gas generation solution that adds value to your workflow. We achieve this through robust product engineering, our unique comprehensive 'repair or replace' warranty, and a global on-site maintenance service that is unmatched in our industry.

Our priority is your complete satisfaction. By taking due care of your gas flow, we give you peace of mind and enable you to focus on your workflow. This is the PEAK Promise.

PEAK PERFORMERS: OUR WORLD-CLASS PRODUCT PLATFORMS

Our core gas generator offering to support Waters analytical instruments can be divided into two categories. Our best-selling Genius XE and value Genius SQ series, designed mainly for LC-MS applications, are self-contained systems featuring integrated compressors, delivering laboratory-grade nitrogen at various pressures and flow rates required by a wide variety of Waters instruments.

The Infinity XE 60 & Solaris series of nitrogen gas generators are silent-running compressor-free systems for laboratories with an in-house supply of clean, dry air - delivering nitrogen in a wide range of flow rates including high-flow for more gas hungry applications such as sample evaporation or supplying multiple mass-spec instruments.

For very high-flow, high demand needs, our innovative Pressure Swing Adsorption based i-FlowLab technology is designed to meet the full and total demand for nitrogen gas a facility may have, all in one expandable installed solution



Application Matrix

		PEAK Solution	
Mass Detection	Air Requirement	Single Instrument	Two Instruments
Acquity Qda Acquity Rda	No compressor	Solaris XE for Waters	Infinity XE 6010
	Built in compressor	Genius SQ 24	Genius XE 70
Single Quads	Air Requirement		
SQD 2 SQ Detector ZQ	No compressor	Solaris XE for Waters	Infinity XE 6010
	Built in compressor	Genius SQ 24	Genius XE 70
3100 Mass Detector	No compressor	Solaris XE for Waters	Infinity XE 6010
	Built in compressor	Genius SQ 24	Genius XE 70
RADIANT ASAP	No compressor	Solaris XE for Waters	Infinity XE 6010
	Built in compressor	Genius SQ 24	Genius XE 70
Tandem Quads	Air Requirement		
Xevo TQD-S Xevo TQD-XS Xevo TQ-MS Xevo TQ Absolute	No compressor	Solaris XE for Waters	Infinity XE 6010
	Built in compressor	Genius XE 35	Genius XE 70
Xevo TQD Xevo TQD-S Micro Quattro Micro API Quattro Micro CC	No compressor	Solaris XE for Waters	Infinity XE 6010
	Built in compressor	Genius SQ 24	Genius XE 70
Tof	Air Requirement		
Xevo G2-XS Tof Xevo G2-S Tof Xevo G2 Tof Xevo Tof	No compressor	Solaris XE for Waters	Infinity XE 6010
	Built in compressor	Genius XE 35	Genius XE 70
QTof	Air Requirement		
Xevo G2-XS QTof Xevo G2-S QTof Xevo G2 QTof Xevo QTof	No compressor	Solaris XE for Waters	Infinity XE 6010
	Built in compressor	Genius XE 35	Genius XE 70
Ion Mobility	Air Requirement		
Vion G2-XS QTof SYNAPT G2-SI * Select Series Cyclic MS* SYNAPT G2-S * SYNAPT G2 * SYNAPT *	No compressor	Solaris XE for Waters	Infinity XE 6010
	Built in compressor	Genius XE 35	Genius XE 70
Ion Sources	Air Requirement		
APGC	No compressor	Precision Nitrogen Trace 1L	2 x Precision Nitrogen Trace 1L
	Built in compressor	Precision Nitrogen Trace 1L with optional Precision Air Compressor	
LC Detectors	Air Requirement		
2424 ELSD ACQUITY ELSD 2420 ELSD	No compressor	Solaris 10	
	Built in compressor	Solaris 10 with optional Solaris Air Compressor	
* Precision Nitrogen 250 required in addition to the nitrogen requirement for API gas for the SYNAPT ETD option			
Application Key: Current Product Legacy Product			



Product

Genius XE Series

DESCRIPTION

Inspired by the success of our best-selling Genius line of nitrogen gas generators for LC-MS/MS, Genius XE Nitrogen is a cutting-edge evolution combining advanced technology with refined and robust engineering. With two models - XE 35 (up to 35 L/min) and XE 70 (up to 70 L/min) - Genius XE Nitrogen provides a premium standalone nitrogen solution for high performance LC-MS/MS and other mission-critical laboratory applications where performance and reliability are paramount.

Features

Variable flow up to 70 L/min & pressure up to 116psi

Multi-Stage Purification™ producing analytical grade nitrogen gas up to 99.5% purity

2 year comprehensive manufacturer's warranty*

Touch-screen full colour user interface for ease of operation

ECO (Electronic Compressor Optimisation™) technology for low energy consumption and compressor durability

Next-generation high performance premium compressors, engineered exclusively for Genius XE

Smaller & quieter than previous generation of Genius

On-board service scheduling and system diagnostics

Additional compressor capacity (Genius XE 70 only)



Product	Flow Rate	Gas Output	Pressure	Size (HxWxD)	Application
Genius XE 35	35 L/min	Nitrogen	116 psi/8 bar	640 x 570 x 710 mm25.2 x 22.5 x 28"	LC-MS/MS
Genius XE 70	70 L/min	Nitrogen	116 psi/8 bar	1000 x 570 x 710 mm39.4 x 22.5 x 28"	LC-MS/MS

* Year 2 of warranty subject to generator being serviced at end of year 1 by a Peak-approved agent in accordance with fixed annual maintenance schedule.

Product

Genius SQ 24

DESCRIPTION

For labs using any Single Quad LC-MS systems, the Genius SQ 24 nitrogen gas generator delivers an analytical grade nitrogen supply dedicated for this instrument. With a compact size to fit under most lab benches and flow rates of up to 24 L/min, meeting and exceeding the maximum flow rate required by any Single Quad LC-MS on the market today, your lab can enjoy hassle free nitrogen gas which helps you deliver the best analytical results.

Features

Best value nitrogen generator on the market

Variable flow up to 24 l/min

Analytical grade nitrogen supply for Single Quad LC-MS

Outlet pressure up to 116psi (at 22 l/min maximum)

Reduced height and compact size to fit under most lab benches

Integrated internal compressors for easy plug and play



Product	Flow Rate	Gas Output	Pressure	Size (HxWxD)	Application
Genius SQ 24	24L/min	Nitrogen	116psi /8bar	610 x 600 x 750 mm 24.0 x 23.6 x 29.5"	Single Quad LC-MS

Product

Solaris 10

DESCRIPTION

Peak Scientific's Solaris Nitrogen generator has been developed to provide an optimal gas generation solution for ELSD or Compact Mass Spectrometers, with the goal of reducing instrument downtime and improving workflow efficiencies.

Engineered with a space-saving design, Solaris 10 can be placed on a benchtop and paired with an additional optional Solaris air compressor unit to provide air supply for labs without an in-house air supply or for those who wish to contain their gas supply in a single system.

Features

- Variable outlet flow, pressure and purity
- UHP nitrogen for ELSD at up to 10 L/min, 100 psi and up to 99.5% purity
- Compact benchtop form factor, discrete aesthetic styling
- Colour indicative LED lighting for easy status awareness
- Optional Solaris Air Compressor stackable module
- Engineered on reliable and proven existing technology
- Manufactured and tested to highest spec in UK, CE/FCC certified
- 12 month comprehensive on-site warranty



Product	Flow Rate	Gas Output	Pressure	Size (HxWxD)	Application
Solaris 10	10 L/min	Nitrogen	100 psi / 6.9 bar	156 x 416 x 540 mm 6.1 x 16.4 x 21.3"	ELSD, Compact Mass Spectrometers TLD Readers



Product

Solaris XE for Waters

DESCRIPTION

Peak Scientific's Solaris XE nitrogen generator offers a reliable, compressor-free gas solution that can comfortably meet the demands of most mass spectrometers within Waters' portfolio of instruments. Using our tried and tested membrane technology, Solaris XE can operate with varying flow rates (up to 35L/min of high purity nitrogen), purity (up to 99.5%) and outlet pressure can be adjusted down from 116psi.

Features

Nitrogen up to 35L/min, up to 116 psi and up to 99.5% purity

Tested and approved by Waters

Compact, wall-mountable and stackable* with Waters ACQUITY QDa, maximizing the use of valuable laboratory floor or bench space

Variable outlet flow, pressure and purity

Colour indicative LED lighting for easy system status awareness

Manufactured and tested to highest spec in UK, CE/ FCC/CSA certified

Safer and more convenient than pressurized cylinders, dewars or bulk storage

12 month on-site comprehensive warranty

Backed by [Peak Protected] global on premise servicing and technical support



*Please ask your local sales representative for advice on supported stacking configurations.

Product	Flow Rate	Gas Output	Pressure	Size (HxWxD)	Application
Solaris XE for Waters	35 L/min	Nitrogen	116 psi/8 bar	156 x 343 x 650 mm 6.2 x 13.5 x 25.6"	Waters ACQUITY QDa Detector A list of instruments that are compatible with Solaris XE can be found on our Waters application list.

“It is small and looks nice and is very quiet. The shape makes it very easy to place underneath our desk. Everything was good. The delivery was very fast. We were always well informed about the timing of the delivery.”

Maria Fedorova

Research Group Leader

Centre for Biotechnology and Biomedicine
University of Leipzig
Germany

Product

Infinity XE 5010

DESCRIPTION

Producing between 10 and 60 L/min of nitrogen gas, the Infinity XE 5010 gas generator can comfortably supply multiple LC-MS instruments with laboratory grade nitrogen. With the Infinity XE 5010-5040 you can now effectively meet the demands of numerous LC-MS instruments simultaneously. With no moving parts or mechanical sound, our Infinity range is easy to service and requires minimal maintenance.

Features

- Flow rates from 10-60 L/min
- LC-MS grade N₂
- Built upon tried & tested membrane technology
- Compact, space saving design
- Engineered and built in the UK to accredited standards, CE/FCC certified
- 30% smaller than predecessor units (Infinity 50X0)
- User friendly, easy to operate & maintain
- Low noise and minimal vibration
- No moving parts, highly robust solution



Product	Flow Rate	Gas Output	Pressure	Size (HxWxD)	Application
Infinity XE 5010	10 to 60 L/min	Nitrogen	100 psi / 6.9 bar default	995 x 500 x 500 mm 39.2 x 19.7 x 19.7"	N ₂ supply for multiple LC-MS instruments

Peak Protected

Safeguard your laboratory workflow with

[**PEAK** Protected]TM

Servicing any equipment in your lab should not be seen as just an option, it should be treated as a necessity. With many moving parts and wear & tear, especially where generators feature integrated compressors, as well as filters and other 'consumables', a gas generator needs to be maintained regularly to continue to perform at its best for many years.

Here at PEAK we see your gas generator as the beating heart of your laboratory, enabling your analytical instruments to perform and achieve the results you need. With this being the case it is extremely important you look after your 'beating heart' to ensure the best possible results.

Not all warranties are equal

What differentiates PEAK from other gas generator manufacturers is that a PEAK gas generator comes with a truly comprehensive on-site warranty. This means that in the unlikely event that your gas generator develops a problem, we will send a PEAK Certified Field Service Engineer to your laboratory to try to resolve the issue on-site and get you back up and running with minimal fuss and disruption.

What's more, when we say fully-comprehensive, we mean it. Every part of your generator is covered during warranty. While other manufacturer warranties may only cover certain components or require the return of your generator to the factory for repair, leaving you without gas for weeks or even months, our warranty is designed to give you complete peace of mind.

To find out more about our unique warranty, visit www.peakscientific.com/warranty

We offer a range of **[PEAK Protected]** services to suit your particular needs.



Premium Plan
Complete maintenance care with 24 hour rapid response breakdown cover



Complete Plan
Complete maintenance care with guaranteed response time breakdown cover



Fixed Price PM
Preventative maintenance carried out by an expert Peak engineer at a time that suits you



Supported Plan
Preventative maintenance support specifically for compressor-less generators



Paid Repairs
On-site repairs carried out by a certified Peak FSE in case of a breakdown



Replacement Parts
Genuine Peak parts with express delivery, ensuring optimal performance and lifetime



Installation
Trained Peak FSE will visit to install and commission your generator




IQ/OQ
Certified assurance for applications requiring documented qualification



Support Hotline
Around the clock support by phone or online with our global technical helpdesk

Your local **gas generation** partner



PEAK Scientific has highly trained, fully certified Field Service Engineers located in over 20 countries across every continent around the world. This allows us to provide an industry-leading rapid response service to our customers. With **[PEAK Protected]**, your laboratory's productivity becomes our top priority.

Contact us today to discover more!

North America
Tel: +1 866 647 1649

Europe
Tel: +44 (0)141 812 8100

China
Tel: +86 21 5079 1190

India
Tel: 1800 2700 946

For contact details of all Peak local offices around the world, visit:
www.peakscientific.com/offices